**Population:** Patients 12 years and older

**Measurement Range**: Depression screen completed on the date of the visit or up to 14 days prior

**Required Process/Codes:** Documented use of an age-appropriate standardized depression screening tool **AND** if positive, a follow-up plan must be documented on the date of the encounter.

## **Screening Tools** Follow Up Examples (Include but not limited to) PHQ 9 applicable to all age groups, tool type must be documented. Referral to a practitioner or program for further evaluation for depression, ie: referral to a psychiatrist, psychologist, social worker, mental health The depression screening must be reviewed and addressed in the counselor, or other mental health service. office of the provider, on the date of the visit. Positive with follow up:: G8431, Other interventions designed to treat depression such as behavioral health Negative no follow up required: G8510 evaluation, psychotherapy, pharmacological interventions, or additional Positive pre-screening results indicating a patient is at high risk treatment options. for self-harm should receive more urgent intervention as determined by the provider practice. CPT: Psychotherapy 90832, 90834, 90837 Along with office visit code: 90791-90792, 96110, 96112, 96116. 96136, 96138, 96156, 96158, G0444

**Exclusions:** Documentation of depression (G9717) or bipolar diagnoses, patient refusal or medical reasons (cognitive/functional limitations).

**Exceptions:** Screening not completed with documented reason (G8433)

Screening for depression reason not given (G8432)

Screening documented as positive, follow up plan not documented, reason not given (G8511)

